

WHAT IS CLAIMED IS:

1. An information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance;

the volume space is constructed so as to allow a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area to be alternately allocated in the volume space;

the lead-in area and the over-run protection area each include a chain volume management information area for storing chain volume management information; and

the chain volume management information includes address information of a subsequent logical zone and address information of a subsequent chain volume management information area.

2. An information recording medium according to claim 1, wherein the chain volume management information area is provided at a fixed position in the over-run protection area, and the address information of the subsequent chain volume management information area indicates a head address of the subsequent over-run protection area.

3. An information recording medium according to claim 1, wherein:

the volume space is constructed so as to allow a lead-out area subsequent to a last over-run protection area to be allocated in the volume space; and

dummy data is recorded in the chain volume management information area included in the last over-run

protection area.

4. An information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance;

the volume space is constructed so as to allow an advanced VAT structure area for storing at least an advanced VAT to be allocated in the volume space;

the advanced VAT is information for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space; and

basic structure information indicating a file structure is provided at a specific virtual address in the advanced VAT, the basic structure information being indispensable for searching all files recorded in the information recording medium.

5. An information recording medium according to claim 1, wherein:

the basic structure information includes VAT entries for a file set descriptor and a file entry of a root directory; and

the advanced VAT includes a first VAT entry for assigning a logical address of the file set descriptor to a virtual address 0, and a second VAT entry for assigning a logical address of the file entry of the root directory to a virtual address 1.

6. An information recording medium according to claim 4, wherein the advanced VAT structure area is allocated at an end of an accessible area.

1102301 50711350

7. An information recording medium according to claim 4, wherein:

specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium; and

the basic structure information and the specific application structure information are recorded within one sector from a head of the advanced VAT.

8. An information recording medium according to claim 7, wherein the advanced VAT structure area is allocated at an end of an accessible area.

9. An information recording medium according to claim 4, wherein:

the volume space is constructed so as to allow a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area to be alternately allocated in the volume space;

the lead-in area and the over-run protection area each include a chain volume management information area for recording chain volume management information; and

the chain volume management information includes address information of a subsequent logical zone and address information of a subsequent chain volume management information area.

10. An information recording medium according to claim 8,

wherein the chain volume management information area is allocated at a fixed position in the over-run protection area, and the address information of the subsequent chain volume management information area indicates a head address of the subsequent over-run protection area.

11. An information recording medium according to claim 8, wherein:

the volume space is constructed so as to allow a lead-out area subsequent to a last over-run protection area to be allocated in the volume space; and

dummy data is recorded in the chain volume management information area included in the last over-run protection area.

12. An information recording medium according to claim 8, wherein:

the basic structure information includes VAT entries for a file set descriptor and a file entry of a root directory; and

the advanced VAT includes a first VAT entry for assigning a logical address of the file set descriptor to a virtual address 0, and a second VAT entry for assigning a logical address of the file entry of the root directory to a virtual address 1.

13. An information recording medium according to claim 8, wherein specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium.

14. An information recording medium according to claim 13, wherein the basic structure information and the specific application structure information are recorded within one sector from a head of the advanced VAT.

15. An information recording medium according to claim 8, wherein the advanced VAT structure area is allocated at an end of an accessible area.

16. A method for recording information into an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance; and

the method comprises the step of:

allocating a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area alternately in the volume space;

the lead-in area and the over-run protection area each include a chain volume management information area; and

the method further comprises the step of:

recording the chain volume management information including address information of a subsequent logical zone and address information of a subsequent chain volume management information into the chain volume management information area.

17. A method for recording information into an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance; and

the method comprises the steps of:

allocating an advanced VAT structure area in the volume space; and

recording an advanced VAT for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space into the advanced VAT structure area; and

basic structure information indicating a file structure is allocated at a specific virtual address in the advanced VAT, the basic structure information being indispensable for searching all files recorded in the information recording medium.

18. A method according to claim 17, wherein:

specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium; and

the basic structure information and the specific application structure information are provided within one sector from a head of the advanced VAT.

19. A method according to claim 17, wherein:

the method comprises the step of:

allocating a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area alternately in the volume space;

the lead-in area and the over-run protection area each include a chain volume management information area;

the method comprises the step of:

20. A device for recording information into an information recording medium comprising a data recording area, wherein:

the device comprises:

the lead-in area and the over-run protection area each include a chain volume management information area; and

the device further comprises:

21. A device for recording information into an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance; and

the device comprises:

a section for allocating an advanced VAT

structure area in the volume space; and

a section for recording an advanced VAT for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space into the advanced VAT structure area; and

basic structure information indicating a file structure is allocated at a specific virtual address in the advanced VAT, the basic structure information being indispensable for searching all files recorded in the information recording medium.

22. A device according to claim 21, wherein:

specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium; and

the basic structure information and the specific application structure information are provided within one sector from a head of the advanced VAT.

23. A device according to claim 21, wherein:

the device comprises:

a section for allocating a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area alternately in the volume space;

the lead-in area and the over-run protection area each include a chain volume management information area; and

the device comprises:

a section for recording the chain volume management information including the address information of a subsequent logical zone and the address information of a subsequent chain volume management information into the chain volume management information area.

24. A method for reproducing information recorded in an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance, a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area are alternately allocated in the volume space, the lead-in area and the over-run protection area each include a chain volume management information area, and the chain volume management information including address information of a subsequent logical zone and address information of a subsequent chain volume management information area is recorded in the chain volume management information area; and

the method comprises the steps of:

accessing the chain volume management information area included in each of the lead-in area and the over-run protection area in a chained manner; and

performing a reproduction operation in accordance with information read out from the chain volume management information area.

25. A method for reproducing information recorded in an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in

the data recording area in advance, a volume structure area and an advanced VAT structure area are allocated in the volume space, an advanced VAT information for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space is recorded in the advanced VAT structure area, and basic structure information indicating a file structure is allocated at a specific virtual address in the advanced VAT, the basic structure information being indispensable for searching all files recorded in the information recording medium; and

the method comprises the steps of:

obtaining a logical address of the basic structure information from the advanced VAT stored in the advanced VAT structure area without accessing the volume structure area; and

reading out the basic structure information in accordance with the logical address of the basic structure information.

26. A method for reproducing information recorded in an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance, an advanced VAT structure area is allocated in the volume space, advanced VAT information for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space is recorded in the advanced VAT structure area, basic structure information indicating a file structure is allocated at a specific virtual address in the advanced VAT, the basic structure information being indispensable for

searching all files stored in the information recording medium, specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium, and the basic structure information and the specific application structure information are allocated within one sector from a head of the advanced VAT; and

the method comprises the steps of:

reading out information within one sector from a head of the advanced VAT recorded in the advanced VAT structure area; and

performing a reproduction operation based on the basic structure information and the specific application structure information included in the read out information.

27. A method according to claim 25, wherein:

a logical zone for storing at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area are alternately allocated in the volume space, the lead-in area and the over-run protection area each include a chain volume management information area, and the chain volume management information including address information of a subsequent logical zone and address information area of a subsequent chain volume management information is recorded in the chain volume management information area; and

the method comprises the steps of:

accessing the chain volume management information area included in each of the lead-in area and the over-run protection area in a chained manner; and

performing a reproduction operation in accordance with information read out from the chain volume management information area.

28. A device for reproducing information recorded in an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance, a logical zone for storing at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area are alternately allocated in the volume space, the lead-in area and the over-run protection area each include a chain volume management information area, and the chain volume management information area including address information of a subsequent logical zone and address information of a subsequent chain volume management information area is recorded in the chain volume management information area; and

the device comprises:

a section for accessing the chain volume management information area included in each of the lead-in area and the over-run protection area in a chained manner; and

a section for performing a reproduction operation in accordance with information read out from the chain volume management information area.

29. A device for reproducing information recorded in an information recording medium comprising a data recording area, wherein:

a lead-in area and a volume space are allocated in the data recording area in advance, a volume structure area

the device comprises:

a section for reading out the basic structure information in accordance with the logical address of the basic structure information.

a lead-in area and a volume space are allocated in the data recording area in advance, an advanced VAT structure area is allocated in the volume space, an advanced VAT for managing a correspondence between a virtual address indicating an address in a virtual address space and a logical address indicating an address in a logical address space is recorded in the advanced VAT structure area, basic structure information indicating a file structure is allocated at a specific virtual address in the advanced VAT, the basic structure information being indispensable for searching all files recorded in the information recording

medium, specific application structure information indicating a file structure is allocated in a specific virtual address range in the advanced VAT, the specific application structure information being indispensable for searching an AVfile recorded in the information recording medium, and the basic structure information and the specific application structure information are provided within one sector from a head of the advanced VAT; and

the device comprises:

a section for reading out information within one sector from a head of the advanced VAT recorded in the advanced VAT structure area; and

a section for performing a reproduction operation based on the basic structure information and the specific application structure information included in the read out information.

31. A device according to claim 29, wherein:

a logical zone for recording at least a volume-file structure and an over-run protection area for preventing an access to an unrecorded area are alternately allocated in the volume space, the lead-in area and the over-run protection area each include a chain volume management information area, and the chain volume management information including address information of a subsequent logical zone and address information of a subsequent chain volume management information is recorded in the chain volume management information area; and

the device comprises:

a section for accessing the chain volume management information area included in each of the lead-in area and the over-run protection area in a chained manner; and

addA 17

1970-1971 1972-1973 1974-1975 1976-1977 1978-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 2008-2009 2010-2011 2012-2013 2014-2015 2016-2017 2018-2019 2020-2021 2022-2023 2024-2025 2026-2027 2028-2029 2030-2031 2032-2033 2034-2035 2036-2037 2038-2039 2040-2041 2042-2043 2044-2045 2046-2047 2048-2049 2050-2051 2052-2053 2054-2055 2056-2057 2058-2059 2060-2061 2062-2063 2064-2065 2066-2067 2068-2069 2070-2071 2072-2073 2074-2075 2076-2077 2078-2079 2080-2081 2082-2083 2084-2085 2086-2087 2088-2089 2090-2091 2092-2093 2094-2095 2096-2097 2098-2099 2100-2101 2102-2103 2104-2105 2106-2107 2108-2109 2110-2111 2112-2113 2114-2115 2116-2117 2118-2119 2120-2121 2122-2123 2124-2125 2126-2127 2128-2129 2130-2131 2132-2133 2134-2135 2136-2137 2138-2139 2140-2141 2142-2143 2144-2145 2146-2147 2148-2149 2150-2151 2152-2153 2154-2155 2156-2157 2158-2159 2160-2161 2162-2163 2164-2165 2166-2167 2168-2169 2170-2171 2172-2173 2174-2175 2176-2177 2178-2179 2180-2181 2182-2183 2184-2185 2186-2187 2188-2189 2190-2191 2192-2193 2194-2195 2196-2197 2198-2199 2200-2201 2202-2203 2204-2205 2206-2207 2208-2209 2210-2211 2212-2213 2214-2215 2216-2217 2218-2219 2220-2221 2222-2223 2224-2225 2226-2227 2228-2229 2230-2231 2232-2233 2234-2235 2236-2237 2238-2239 2240-2241 2242-2243 2244-2245 2246-2247 2248-2249 2250-2251 2252-2253 2254-2255 2256-2257 2258-2259 2260-2261 2262-2263 2264-2265 2266-2267 2268-2269 2270-2271 2272-2273 2274-2275 2276-2277 2278-2279 2280-2281 2282-2283 2284-2285 2286-2287 2288-2289 2290-2291 2292-2293 2294-2295 2296-2297 2298-2299 2300-2301 2302-2303 2304-2305 2306-2307 2308-2309 2310-2311 2312-2313 2314-2315 2316-2317 2318-2319 2320-2321 2322-2323 2324-2325 2326-2327 2328-2329 2330-2331 2332-2333 2334-2335 2336-2337 2338-2339 2340-2341 2342-2343 2344-2345 2346-2347 2348-2349 2350-2351 2352-2353 2354-2355 2356-2357 2358-2359 2360-2361 2362-2363 2364-2365 2366-2367 2368-2369 2370-2371 2372-2373 2374-2375 2376-2377 2378-2379 2380-2381 2382-2383 2384-2385 2386-2387 2388-2389 2390-2391 2392-2393 2394-2395 2396-2397 2398-2399 2400-2401 2402-2403 2404-2405 2406-2407 2408-2409 2410-2411 2412-2413 2414-2415 2416-2417 2418-2419 2420-2421 2422-2423 2424-2425 2426-2427 2428-2429 2430-2431 2432-2433 2434-2435 2436-2437 2438-2439 2440-2441 2442-2443 2444-2445 2446-2447 2448-2449 2450-2451 2452-2453 2454-2455 2456-2457 2458-2459 2460-2461 2462-2463 2464-2465 2466-2467 2468-2469 2470-2471 2472-2473 2474-2475 2476-2477 2478-2479 2480-2481 2482-2483 2484-2485 2486-2487 2488-2489 2490-2491 2492-2493 2494-2495 2496-2497 2498-2499 2500-2501 2502-2503 2504-2505 2506-2507 2508-2509 2510-2511 2512-2513 2514-2515 2516-2517 2518-2519 2520-2521 2522-2523 2524-2525 2526-2527 2528-2529 2530-2531 2532-2533 2534-2535 2536-2537 2538-2539 2540-2541 2542-2543 2544-2545 2546-2547 2548-2549 2550-2551 2552-2553 2554-2555 2556-2557 2558-2559 2560-2561 2562-2563 2564-2565 2566-2567 2568-2569 2570-2571 2572-2573 2574-2575 2576-2577 2578-2579 2580-2581 2582-2583 2584-2585 2586-2587 2588-2589 2590-2591 2592-2593 2594-2595 2596-2597 2598-2599 2600-2601 2602-2603 2604-2605 2606-2607 2608-2609 2610-2611 2612-2613 2614-2615 2616-2617 2618-2619 2620-2621 2622-2623 2624-2625 2626-2627 2628-2629 2630-2631 2632-2633 2634-2635 2636-2637 2638-2639 2640-2641 2642-2643 2644-2645 2646-2647 2648-2649 2650-2651 2652-2653 2654-2655 2656-2657 2658-2659 2660-2661 2662-2663 2664-2665 2666-2667 2668-2669 2670-2671 2672-2673 2674-2675 2676-2677 2678-2679 2680-2681 2682-2683 2684-2685 2686-2687 2688-2689 2690-2691 2692-2693 2694-2695 2696-2697 2698-2699 2700-2701 2702-2703 2704-2705 2706-2707 2708-2709 2710-2711 2712-2713 2714-2715 2716-2717 2718-2719 2720-2721 2722-2723 2724-2725 2726-2727 2728-2729 2730-2731 2732-2733 2734-2735 2736-2737 2738-2739 2740-2741 2742-2743 2744-2745 2746-2747 2748-2749 2750-2751 2752-2753 2754-2755 2756-2757 2758-2759 2760-2761 2762-2763 2764-2765 2766-2767 2768-2769 2770-2771 2772-2773 2774-2775 2776-2777 2778-2779 2780-2781 2782-2783 2784-2785 2786-2787 2788